

COMMERCIAL FEED

Labeling Requirements

**Adopted by the
TEXAS FEED & FERTILIZER CONTROL SERVICE**

**Texas A&M University System
The Agriculture Program
Texas Agricultural Experiment Station
Tim Herrman, State Chemist & Director
College Station, TX**

Website: OTSC.TAMU.EDU

(Updated April 2007)

TABLE OF CONTENTS

Page No.

Introduction.....	1
Labeling.....	1
I. Commercial Feed Labeling Requirements Other Than Customer Formula Feeds.....	2
A.	
Guaranteed Analysis Information	2
Swine Feeds.....	2
Poultry Feeds	5
Beef Cattle Feeds.....	7
Dairy Feeds	10
Equine Formula Feeds	15
Goat and Sheep Feeds	19
Duck and Geese Feeds.....	22
Fish Feeds.....	24
Rabbit Feeds	25
Wildlife Whole Seed and Whole Grain	26
Required Guarantees for Animal Species and Classes Not Specifically Mentioned	
Previously.....	27
Required Guarantees for Grain Mixtures	
With or Without Molasses.....	28
Required Guarantees for Vitamin/Mineral Premix, Base Mix, Etc.	29
Other Required Guarantees that May Appear on Label	30
B.	
Exemptions.....	35
II. Suitability	36
III. Customer Formula Feed Labeling Requirements.....	38
IV. Pet Food Labeling	38

INTRODUCTION

Two requirements must be met before feeds can be distributed in Texas: (1) the facility distributing the product must be licensed, (2) the product distributed must be properly labeled.

The purpose of this booklet is to assist in labeling products properly.

LABELING

Once a manufacturer of commercial feeds is licensed to do business in the State of Texas, proper labeling is required before distributing feed in the State.

Commercial feed, other than customer formula feed, shall be labeled with the following information:

1. Product name and brand name if any
2. If a drug is used:
 - a. The word "medicated" shall appear directly following and below the product name in type size, no smaller than one-half the type size of the product name.
 - b. Purpose statement as required in the Regulation.
 - c. The purpose of medication (indications for use).
 - d. An active ingredient statement listing the active drug ingredients by their established name and the amounts in accordance with the rules.
3. Purpose Statement
 - a. The statement of purpose shall contain the specific species and animal class(es) for which the feed is intended.
 - b. The manufacturer shall have flexibility in describing in more specific and common language the defined animal class, specie and purpose while being consistent with the category of animal class defined in the regulations, which may include but not limited to including the weight range(s), sex or ages of the animal(s) for which the feed is manufactured.
 - c. The purpose statement may be excluded from the label if the product name includes a description of the species and animal class(es) for which the product is intended.
 - d. The indication for animal class(es) and specie(s) is not required on single ingredient feed if the ingredient is not intended, represented, or defined for a specific animal class(es) or specie(s).

- e. A purpose statement of a premix for the manufacture of commercial feed may state “For the Manufacture of Commercial Feed” if the nutrients contained in the premix are guaranteed and sufficient for formulation into various animal species feeds.
 - f. The purpose statement of single purpose ingredient blend, such as a blend of animal protein products, milk products, fat products, roughage products or molasses products may state “For Further Manufacturing of Feed” if the label guarantees of the nutrients contained in the single purpose nutrient blend are sufficient to provide for formulation into various animal species feeds.
4. Guaranteed Analysis
 - a. Crude Protein, Non-Protein Nitrogen, Amino Acids, Crude Fat, Crude Fiber, Acid Detergent Fiber, Calcium, Phosphorus, Salt and Sodium shall be the sequence of nutritional guarantees when such guarantee is required.
 - b. Other required and voluntary guarantees should follow in a general format such that the units of measure used to express guarantees (percentage, parts per million, International Units, etc.) are listed in a sequence which provides a consistent grouping of the units of measure.
 5. Feed Ingredients
 6. Directions for use and precautionary statements
 7. Name and principal address of the person responsible for manufacture and distribution of the feed
 8. Quantity Statement

I.

COMMERCIAL FEED LABELING REQUIREMENTS OTHER THAN CUSTOMER FORMULA FEED

A. GUARANTEED ANALYSIS INFORMATION

SWINE FEEDS

Animal Classes

1. Pre-starter - 2 to 11 pounds
2. Starter - 11 to 44 pounds
3. Grower - 44 to 110 pounds
4. Finisher - 110 to 242 pounds (market)
5. Gilts, Sows and Adult Boars
6. Lactating Gilts and Sows

**Guaranteed Analysis for
Swine Complete Feeds and Supplements
(All Animal Classes)**

1. Minimum percentage of Crude Protein
2. Minimum percentage of Lysine
3. Minimum percentage of Crude Fat
4. Maximum percentage of Crude Fiber
5. Minimum and maximum percentage of Calcium
6. Minimum percentage of Phosphorus
7. Minimum and maximum percentage of Salt
8. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee
9. Minimum Selenium in parts per million (ppm)
10. Minimum Zinc in parts per million (ppm)

**BLUE BIRD SUPER PIG FEED
FOR STARTER PIGS WEIGHING 11 TO 44 POUNDS**

Guaranteed Analysis

Crude Protein (Min)	20%
Lysine (Min)	1.2%
Crude Fat (Min)	4%
Crude Fiber (Max)	4%
Calcium (Min)	0.8%
Calcium (Max)	1.3%
Phosphorus (Min)	0.65%
Salt (Min)	0.35%
Salt (Max)	0.50%
Selenium (Min)	0.3 ppm
Zinc (Min)	150 ppm

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Dried Whey, Lignin Sulfonate, Animal Fat, Vitamin A Supplement, D-Activated Animal Sterol (source of Vitamin D₃), L-Lysine, Riboflavin Supplement, Choline Chloride, Biotin, Thiamine Mononitrate, Pyridoxine Hydrochloride, Vitamin E Supplement, Vitamin B₁₂ Supplement, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Ethoxyquin (a preservative), Ground Limestone, Dicalcium Phosphate, Salt, Copper Sulfate, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Cobalt Carbonate, Calcium Iodate, Sodium Selenite.

FEEDING DIRECTIONS:

Feed as the complete ration to starter pigs weighing 11 to 44 pounds.

Manufactured by
Blue Bird Feed Mill
Anytown, Texas 77777

NET WT 50LB (22.6 kg)

BLUE BIRD SUPER PIG FEED MEDICATED

FOR STARTER PIGS WEIGHING 11 TO 44 POUNDS.

Administer to swine in a complete feed for reduction of the incidence of cervical abscesses; treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibronic dysentery); maintenance of weight gains in the presence of atrophic rhinitis; increased rate of weight gain and improved feed efficiency from 10 pounds body weight up to six weeks post-weaning for swine raised in confinement (drylot) or on limited pasture.

Active Drug Ingredients

Chlortetracycline	100 g/ton
Sulfathiazole.....	100 g/ton
Penicillin (from Procaine Penicillin)	50 g/ton

Guaranteed Analysis

Crude Protein (Min)	20%
Lysine (Min)	1.2%
Crude Fat (Min)	4%
Crude Fiber (Max)	4%
Calcium (Min)	0.8%
Calcium (Max)	1.3%
Phosphorus (Min)	0.65%
Salt (Min)	0.35%
Salt (Max)	0.50%
Selenium (Min)	0.3 ppm
Zinc (Min)	150 ppm

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Dried Whey, Lignin Sulfonate, Animal Fat, Vitamin A Supplement, D-Activated Animal Sterol (source of Vitamin D₃) L-Lysine, Riboflavin Supplement, Choline Chloride, Biotin, Thiamine Mononitrate, Pyridoxine Hydrochloride, Vitamin E Supplement, Menadione Sodium Bisulfite Complex (source of Vitamin K Activity), Folic Acid, Ethoxyquin (a preservative), Ground Limestone, Dicalcium Phosphate, Salt, Copper Sulfate, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Cobalt Carbonate, Calcium Iodate, Sodium Selenite.

FEEDING DIRECTIONS:

Feed as the sole ration to pigs weighing 11 to 44 pounds.

WARNING: Withdraw 7 days prior to slaughter.

CAUTION: In order to obtain the desired performance results, the animals should be self fed.

Manufactured by
Blue Bird Feed Mill
Anytown, Texas 77777

NET WT 50 LB (22.6 kg)

POULTRY FEEDS **(Layers, Broilers, and Turkeys)**

Animal Classes

1. Layers - Chickens that are grown to produce eggs for food, i.e., table eggs
 - a. Starting/Growing - from day of hatch to approximately 10 weeks of age
 - b. Finisher - from approximately 10 weeks of age to time first egg is produced. (Approximately 20 weeks of age)
 - c. Laying - from time first egg is laid throughout the time of egg production
 - d. Breeders - Chickens that produce fertile eggs for hatch replacement layers to produce eggs for food, table eggs, from time first egg is laid throughout their productive cycle

2. Broilers - Chickens that are grown for human food
 - a. Starting/Growing - from day of hatch to approximately 5 weeks of age
 - b. Finisher - from approximately 5 weeks of age to market (42 to 52 days)
 - c. Breeders - hybrid strains of chickens whose offspring are grown for human food (broilers), at any age and either sex

3. Broilers, Breeders - Chickens whose offspring are grown for human food (broilers)
 - a. Starting/Growing - from day of hatch until approximately 10 weeks of age
 - b. Finishing - from approximately 10 weeks of age to time first egg is produced, approximately 20 weeks of age
 - c. Laying - Fertile egg producing chickens (broilers/roasters) from day of first egg throughout the time fertile eggs are produced

4. Turkeys
 - a. Starting/Growing - Turkeys that are grown for human food from day of hatch to approximately 13 weeks of age (males)
 - b. Finisher - turkeys that are grown for human food, females from approximately 13 weeks of age to approximately 17 weeks of age; males from 16 weeks of age to 20 weeks of age, (or desired market weight)
 - c. Laying - Female turkeys that are producing eggs; from time first egg is produced, throughout the time they are producing eggs
 - d. Breeder - turkeys that are grown to produce fertile eggs, from day of hatch to time first egg is produced (approximately 30 weeks of age), both sexes

**Guaranteed Analysis for
Poultry Complete Feeds and Supplements
(All Animal Classes)**

1. Minimum percentage of Crude Protein
2. Minimum percentage of Lysine
3. Minimum percentage of Methionine
4. Minimum percentage of Crude Fat
5. Maximum percentage of Crude Fiber
6. Minimum and maximum percentage of Calcium
7. Minimum percentage of Phosphorus
8. Minimum and maximum percentage of Salt (if added)
9. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee

BLUE BIRD LAYER FEED

COMPLETE FEED FOR LAYING CHICKENS

Guaranteed Analysis

Crude Protein (min)	15.0%
Lysine (min)	0.65%
Methionine (min)	0.35%
Crude Fat (min)	3.0%
Crude Fiber (max)	3.5%
Calcium (min)	3.4%
Calcium (max)	4.4%
Phosphorus (min)	0.6%
Salt (min)	0.35%
Salt (max)	0.50%

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Animal Protein Products, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Choline Chloride, Folic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), DL-Methionine, Potassium Sulfate, Calcium Carbonate, Salt, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Zinc Oxide, Ethylenediamine Dihydriodide, Sodium Selenite

FEEDING DIRECTIONS:

This is a complete and balanced ration. Feed Blue Bird Layer Feed from time first egg is laid throughout the time of egg production. Always provide plenty of fresh water.

Guaranteed By:
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

BEEF CATTLE FEEDS

Animal classes

1. Calves (birth to weaning)
2. Cattle on Pasture (may be specific as to production stage; ie-stocker, feeder replacement heifers, brood cows, bulls, etc.)
3. Feedlot Cattle

Guaranteed Analysis for Beef Complete Feeds and Supplements (All Animal Classes)

1. Minimum percentage of Crude Protein
2. Maximum percentage of equivalent Crude Protein from Non-Protein Nitrogen (NPN)
3. Minimum percentage of Crude Fat
4. Maximum percentage of Crude Fiber
5. Minimum and maximum percentage of Calcium
6. Minimum percentage of Phosphorus
7. Minimum and maximum percentage of Salt
8. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee
9. Minimum percentage of Potassium
10. Minimum Vitamin A, other than precursors of Vitamin A, in International Units per pound

Guaranteed Analysis for Beef Mineral Feeds (if added)

1. Minimum and maximum percentage of Calcium
2. Minimum percentage of Phosphorus
3. Minimum and maximum percentage of Salt
4. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee
5. Minimum percentage of Magnesium
6. Minimum percentage of Potassium
7. Minimum Copper in parts per million (ppm)
8. Minimum Selenium in parts per million (ppm)
9. Minimum Zinc in parts per million (ppm)
10. Minimum Vitamin A, other than precursors of Vitamin A in International units per pound

BLUE BIRD BEEF FEED

FOR BEEF CATTLE ON PASTURE

Guaranteed Analysis

Crude Protein (Min)	12.0%
(This includes not more than 2.9% equivalent crude protein from non-protein nitrogen.)	
Crude Fat (Min)	2.0%
Crude Fiber (Max)	10.0%
Calcium (Min)	0.5%
Calcium (Max)	1.0%
Phosphorus (Min)	0.5%
Salt (Min)	11.0%
Salt (Max)	13.2%
Potassium (Min)	0.4%
Vitamin A (Min)	10,000 IU/Lb

Ingredient Statement

Grain Products, Plant Protein Products, Molasses Products, Processed Grain By-Products, Urea, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Calcium Carbonate, Monocalcium Phosphate, Salt, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Magnesium Oxide, Zinc Oxide, Cobalt Carbonate, Ethylenediamine Dihydriodide, Potassium Chloride.

FEEDING DIRECTIONS:

Self-feed to beef cattle on pasture. Feed 4-6 pounds per head per day as a pasture extender.

Provide plenty of fresh, clean water at all times.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

BLUE BIRD BEEF MINERAL

FOR BEEF CATTLE ON PASTURE

Guaranteed Analysis

Calcium (Min)	11.0%
Calcium (Max)	13.0%
Phosphorus (Min)	6.0%
Salt (Min)	20.0%
Salt (Max)	22.0%
Magnesium (Min)	1.0%
Potassium (Min)	2.0%
Copper (Min)	460 ppm
Selenium (Min)	9 ppm
Zinc (Min)	2300 ppm
Vitamin A (Min)	100,000 IU/Lb

Ingredient Statement

Dicalcium Phosphate, Monocalcium Phosphate, Salt, Calcium Carbonate, Magnesium Mica, Barley Distillers Dried Grains with Solubles, Cane Molasses, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Magnesium Oxide, Zinc Oxide, Ethylenediamine Dihydriodide, Cobalt Carbonate, Iron Oxide, Sodium Selenite, Animal Fat, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Copper Sulfate, Manganese Sulfate, Petrolatum, Mineral Oil.

FEEDING DIRECTIONS:

This mineral should be fed in dry, wind-free, rain-protected feeders. Place near a water source where animals gather. Provide fresh, clean water at all times.

Feed to beef cattle on pasture at the rate of 4oz/hd/day.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

DAIRY FEEDS

Animal Classes

1. Veal Milk Replacer - Milk replacer to be fed for veal production
2. Herd Milk Replacer - Milk replacer to be fed for herd replacement calves
3. Starter - Approximately 3 days to 3 months
4. Growing Heifers, Bulls, and Dairy Beef
 - a. Grower 1 - 3 months to 12 months of age
 - b. Grower 2 - More than 12 months of age
5. Lactating Dairy Cattle
6. Non-Lactating Dairy Cattle

Guaranteed Analysis for Veal and Herd Replacement Milk Replacer

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber
4. Minimum and maximum percentage of Calcium
5. Minimum percentage of Phosphorus
6. Minimum Vitamin A, other than precursors of Vitamin A, in International Units per pound

Guaranteed Analysis for Dairy Cattle Complete Feed and Supplements

1. Minimum percentage of Crude Protein
2. Maximum percentage of Non-Protein Nitrogen (NPN)
3. Minimum percentage of Crude Fat
4. Maximum percentage of Crude Fiber
5. Maximum percentage of Acid Detergent Fiber (ADF)
6. Minimum and maximum percentage of Calcium
7. Minimum percentage of Phosphorus
8. Minimum Selenium in parts per million (ppm)
9. Minimum Vitamin A, other than precursors of Vitamin A, in International Units per pound

Guaranteed Analysis for Dairy Mixing and Pasture Mineral with Vitamins (if added)

1. Minimum and maximum percentage of Calcium
2. Minimum percentage of Phosphorus
3. Minimum and maximum percentage of Salt
4. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee
5. Minimum percentage of Magnesium

6. Minimum percentage of Potassium
7. Minimum Selenium in parts per million (ppm)
8. Minimum Vitamin A, other than the precursors of Vitamin A, in International Units per pound

BLUE BIRD CALF MILK REPLACER

A MILK REPLACER TO BE FED TO HERD REPLACEMENT CALVES.

Guaranteed Analysis

Crude Protein (Min)	22.0%
Crude Fat (Min)	20%
Crude Fiber (Max)	0.15%
Calcium (Min)	0.75%
Calcium (Max)	1.2%
Phosphorus (Min)	0.65%
Vitamin A (Min)	35,000 IU/Lb

Ingredients

Dried Skimmed Milk, Whey, Dried Milk Protein, Animal Fat preserved with BHA, Dried Whey Products, Lecithin, Vitamin A Acetate, D-activated Animal Sterol (source of vitamin D₃), Vitamin E Supplement, Vitamin B₁₂ Supplement, Riboflavin, Calcium Pantothenate, Niacin Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex, Thiamine Mononitrate, Pyridoxine Hydrochloride, Folic Acid, Biotin, Ascorbic Acid, Ethylenediamine Dihydriodide, Sodium Selenite, Cobalt Sulfate, Copper Sulfate, Ferrous Sulfate, Manganous Sulfate, Magnesium Oxide, Zinc Sulfate, Sodium Silico Aluminate, Natural and Artificial Flavors.

FEEDING DIRECTIONS:

No whole milk is required after the colostrum feeding period when calf milk replacer is used. It is recommended to mix milk replacer with warm water (100° - 120° F) and feed TWICE DAILY. Feed depending on size and age of calf. Two (2) scoops (8 oz. of dry powder) mixed with 2 quarts of water (100° - 120°) twice a day.

For Best Results: Provide starter (grain mix) for calves when they are about 1 week of age and feed free choice up to 4 lbs. per day. For herd replacement calves, milk feeding can be discontinued when animals are about 6 to 7 weeks of age. However, a longer feeding period is recommended for small and poor performing calves.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50LB (22.6 kg)

BLUE BIRD DAIRY FEED

GRAIN RATION FOR LACTATING DAIRY CATTLE

Guaranteed Analysis

Crude Protein (min)	16.0%
(This includes not more than 3.5% equivalent crude protein from non-protein nitrogen)	
Crude Fat (min)	2.5%
Crude Fiber (max)	8.0%
Acid Detergent Fiber (ADF) (max)	14.0%
Calcium (min)	1.0%
Calcium (max)	1.5%
Phosphorus (min)	0.75%
Selenium (min)	0.2 ppm
Vitamin A (min)	7,000 IU/Lb

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Dicalcium Phosphate, Forage Products, Molasses Products, Urea, Mineral Oil, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Ethoxyquin (a preservative), Hemicellulose Extract, DL-Methionine, Calcium Carbonate, Salt, Manganous Oxide, Magnesium Oxide, Ferrous Sulfate, Copper Oxide, Zinc Oxide, Potassium Chloride, Calcium Sulfate, Ethylenediamine Dihydriodide, Potassium Sulfate, Sodium Selenite, Natural and Artificial Flavors

FEEDING DIRECTIONS:

Feed 16 pounds per head per to a 1,200 pound cow. Feed 18.6 pounds per head per day to a 1,400 pound cow. Do not exceed 50% of the total dry matter intake from this feed.

Guaranteed By:
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

BLUE BIRD EXTRA DAIRY MIXING MINERAL

MIXING MINERAL FOR LACTATING DAIRY CATTLE

Guaranteed Analysis

Calcium (min)	9.1%
Calcium (max)	10.9%
Phosphorus (min)	3.2%
Salt (min)	11.2%
Salt (max)	13.4%
Sodium (min)	12.0%
Sodium (max)	13.0%
Magnesium (min)	4.0%
Potassium (min)	1.0%
Selenium (min)	4 ppm
Vitamin A (min)	100,000 IU/Lb

Ingredient Statement

Ground Limestone, Dicalcium Phosphate, Magnesium-Mica, Salt, Sodium Bicarbonate, Magnesium Oxide, Corn Distillers Dried Grains, Potassium Chloride, Magnesium Sulfate, Animal Fat, Sulfur, Dried Extracted Streptomyces Fermentation Solubles, Zinc Oxide, Manganous Oxide, Active Dry Yeast, Ferrous Carbonate, Vitamin A Supplement , Vitamin D₃ Supplement, Vitamin E Supplement, Calcium Carbonate, Ferrous Sulfate, Copper Oxide, Calcium Sulfate, Ethylenediamine Dihydriodide, Cobalt Carbonate, Potassium Sulfate, Sodium Selenite

FEEDING DIRECTIONS:

Feed at a rate of 8 ounces per lactating cow mixed with concentrate or total ration when the roughage is a combination of alfalfa hay and corn or small grain silage. Mix 50 lbs. per ton of grain for animals consuming 20 pounds of grain per day.

Guaranteed By:
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

NOTE: Sodium guarantee required.

BLUE BIRD DAIRY MIXING MINERAL

MIXING MINERAL FOR LACTATING DAIRY CATTLE

Guaranteed Analysis

Calcium (min)	16.5%
Calcium (max)	17.0%
Phosphorus (min)	4.5%
Salt (min)	5.5%
Salt (max)	6.5%
Magnesium (min)	5.5%
Potassium (min)	6.6%
Selenium (min)	3.0 ppm
Vitamin A (min)	115,000 IU/Lb

Ingredient Statement

Dicalcium Phosphate, Monocalcium Phosphate, Calcium Carbonate, Sodium Bicarbonate, Potassium Chloride, Salt, Cane Molasses, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Vitamin B₁₂ Supplement, Riboflavin Supplement, Niacin Supplement, Choline Chloride, Folic Acid, Ethoxyquin (a preservative), Calcium Pantothenate, Menadione Sodium Bisulfite Complex, Zinc Oxide, Manganous Oxide, Magnesium Oxide, Potassium Chloride, Iron Oxide, Copper Oxide, Ferrous Sulfate, Cobalt Carbonate, Ethylenediamine Dihydriodide, Sodium Selenite, Yeast Culture, Natural and Artificial Flavors.

FEEDING DIRECTIONS:

Mix this product with grains, sources of protein, and other concentrates to prepare complete concentrated mixes for lactating dairy cows. Feed approximately 1.5 lb. of Blue Bird Dairy Mixing Mineral on a daily basis. A minimum of 1.5 lb. of forage dry matter per 100 lb. body weight should be fed per cow per day. Provide plain white stock salt on a free-choice basis.

Guaranteed By:
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

EQUINE FEEDS

Animal Classes

1. Foal
2. Mare
3. Breeding
4. Maintenance

Guaranteed Analysis for Equine Complete Feeds and Supplements

(All Animal Classes)

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber
4. Minimum and maximum percentage of Calcium
5. Minimum percentage of Phosphorus
6. Minimum Copper in parts per million (ppm)
7. Minimum Selenium in parts per million (ppm)
8. Minimum Zinc in parts per million (ppm)
9. Minimum Vitamin A, other than the precursors of Vitamin A, in International Units per pound

Guaranteed Analysis for Equine Mineral Feeds

(All Animal Classes)

1. Minimum and maximum percentage of Calcium
2. Minimum percentage of Phosphorus
3. Minimum and maximum percentage of Salt
4. Minimum and maximum percentage of Sodium shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee
5. Minimum Copper in parts per million (ppm)
6. Minimum Selenium in parts per million (ppm)
7. Minimum Zinc in parts per million (ppm)
8. Minimum Vitamin A, other than precursor of vitamin A, in International Units per pound

**BLUE BIRD 12% TEXTURED HORSE FEED
FOR MAINTENANCE OF MATURE HORSES**

Guaranteed Analysis

Crude Protein (Min)	12.0%
Crude Fat (Min)	3.0%
Crude Fiber (Max)	12.0%
Calcium (Min)	1.0%
Calcium (Max)	1.5%
Phosphorus (Min)	1.0%
Copper (Min)	20 ppm
Selenium (Min)	0.20 ppm
Zinc (Min)	40 ppm
Vitamin A (Min)	2,000 IU/Lb

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Molasses Products, Roughage Products, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Vitamin B₁₂ Supplement, Riboflavin Supplement, Pyridoxine Hydrochloride, Folic Acid, Biotin, Thiamine, Calcium Carbonate, Salt, Dicalcium Phosphate, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Magnesium Oxide, Zinc Oxide, Ethylenediamine Dihydriodide, Cobalt Carbonate, Potassium Chloride.

FEEDING DIRECTIONS:

Feed 1/2 lb. of feed per 100 lb. of body weight for the maintenance of mature horses. Feed good, clean hay at the rate of 1 to 1 1/2 lbs per 100 lbs body weight daily. Provide fresh, clean water at all times, except to hot, tired horses.

Important: Feed hay along with this ration, as per directions.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

**HORSE MINERAL 12:12 BLOCK
MINERAL SUPPLEMENT FOR ALL HORSES**

Guaranteed Analysis

Calcium (Min)	12.0%
Calcium (Max)	14.0%
Phosphorus (Min)	12.0%
Salt (Min)	4.5%
Salt (Max)	5.5%
Copper (Min)	860.0 ppm
Selenium (Min)	36.0 ppm
Zinc (Min)	3,400.0 ppm
Vitamin A (Min)	80,000 IU/Lb

Ingredient Statement

Calcium Carbonate, Defluorinated Phosphate, Salt, Animal Fat (Preserved with Ethoxyquin), Iron Oxide, Vitamin A Supplement, Magnesium Oxide, Sodium Selenite, Cobalt Carbonate, Manganous Oxide, Calcium Iodate, Ferrous Carbonate, Copper Sulfate, Zinc Oxide, Molasses Products, Processed Grain By-Products.

FEEDING DIRECTIONS:

Feed free-choice in covered feeders to provide approximately 2 ounces per head per day throughout the year.

Important: Feed white salt block free-choice separately. Supply ample clean water near the feeding area.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

BLUE BIRD SOUTH TEXAS CUBE

FOR BEEF CATTLE ON PASTURE
FOR MAINTENANCE OF MATURE HORSES

Guaranteed Analysis

Crude Protein (Min)	20.0%
Crude Fat (Min)	3.0%
Crude Fiber (Max)	19.0%
Calcium (Min)	2.0%
Calcium (Max)	2.5%
Phosphorus (Min)	0.5%
Salt (Min)	1.5%
Salt (Max)	2.0%
Potassium (Min)	1.0%
Copper (Min)	20 ppm
Selenium (Min)	0.55 ppm
Zinc (Min)	100 ppm
Vitamin A (Min)	5,000 IU/Lb

Ingredient Statement

Plant Protein Products, Forage Products, 25% Roughage Products, Processed Grain By-Products, Cane Molasses, Dicalcium Phosphate, Ground Limestone, Grain Products, Salt, Vitamin A Supplement, D-Activated Animal Sterol (Source of Vitamin D₃), Vitamin E Supplement, Dicalcium Phosphate, Copper Oxide, Cobalt Carbonate, Manganous Oxide, Ferrous Carbonate, Ethylenediamine Dihydriodide, Sodium Selenite, Zinc Oxide, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Zinc Sulfate, Magnesium Sulfate, Manganese Sulfate and Potassium Chloride.

FEEDING DIRECTIONS:

Cattle: Feed from 1 to 4 pounds per head per day depending on condition of roughage fed.

Horses: For horses on pasture, feed 1 to 2 pounds per head daily.

Manufactured by
Blue Bird Feed Mill
Anytown, Tx 77777

NET WT 50 LB (22.6 kg)

GOAT AND SHEEP FEEDS

Animal classes

1. Starter
2. Grower
3. Finisher
4. Breeder
5. Lactating

Guaranteed Analysis Goat and Sheep Complete Feeds and Supplements (All Animal Classes)

1. Minimum percentage of Crude Protein
2. Maximum percentage of equivalent Crude Protein from Non-Protein Nitrogen (NPN)
3. Minimum percentage of Crude Fat
4. Maximum percentage of Crude Fiber
5. Minimum and maximum percentage of Calcium
6. Minimum percentage of Phosphorus
7. Minimum and maximum percentage of Salt
8. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum Salt guarantee
9. Minimum and maximum Copper in parts per million (ppm) (if added, or if total copper exceeds 20 ppm)
10. Minimum Selenium in parts per million ppm)
11. Minimum Vitamin A, other than precursors of Vitamin A, in International Units per pound

BLUE BIRD SHEEP FEED

THIS FEED IS DESIGNED FOR GROWING
AND FINISHING SHEEP

Guaranteed Analysis

Crude Protein (Min)	15.0%
(This includes not more than 1.25% equivalent crude protein from non-protein nitrogen)	
Crude Fat (Min)	2.0%
Crude Fiber (Max)	10.0%
Calcium (Min)	1.0%
Calcium (Max)	1.5%
Phosphorus (Min)	0.35%
Salt (Min)	0.2%
Salt (Max)	0.5%
Selenium (Min)	0.3 ppm
Vitamin A (Min)	7,750 IU/Lb

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, 7% Roughage Products, Dehydrated Alfalfa Meal, Cane Molasses, Ammonium Chloride, Vitamin A Acetate, Vitamin D₃ Supplement, Vitamin E Supplement, Calcium Carbonate, Dicalcium Phosphate, Monocalcium Phosphate, Salt, Natural and Artificial Flavors, Manganous Oxide, Ferrous Sulfate, Magnesium Oxide, Zinc Oxide, Cobalt Carbonate, Potassium Iodide, Sodium Selenite, Sodium Molybdate.

CAUTION: Use as Directed.

FEEDING DIRECTIONS:

Feed to growing and finishing sheep at a rate of 1.5 to 2.5 lbs per head per day. Adequate roughage should be available at all times.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

BLUE BIRD GOAT FEED

THIS FEED IS DESIGNED TO BE FED TO MATURE
BREEDER GOATS ON RANGE

Guaranteed Analysis

Crude Protein (Min)	15.0%
(This includes not more than 1.0% equivalent crude protein from non-protein nitrogen)	
Crude Fat (Min)	2.0%
Crude Fiber (Max)	10.0%
Calcium (Min)	1.0%
Calcium (Max)	1.5%
Phosphorus (Min)	0.35%
Salt (Min)	0.75%
Salt (Max)	1.0%
Copper (Min).....	15 ppm
Copper (Max).....	30 ppm
Selenium (Min).....	0.3 ppm
Vitamin A (Min)	7,750 IU/Lb

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, 15% Roughage Products, Dehydrated Alfalfa Meal, Cane Molasses, Ammonium Chloride, Vitamin A Acetate, Vitamin D₃ Supplement, Vitamin E Supplement, Calcium Carbonate, Dicalcium Phosphate, Monocalcium Phosphate, Salt, Natural and Artificial Flavors, Manganous Oxide, Ferrous Sulfate, Copper Sulfate, Magnesium Oxide, Zinc Oxide, Ethylenediamine Dihydriodide, Cobalt Carbonate, Potassium Chloride, Sodium Selenite.

CAUTION: Use as Directed. Do not feed to sheep. Product contains levels of copper that may be harmful to sheep.

FEEDING DIRECTIONS:

Feed to goats as a supplement to native range. Adequate roughage should be available at all times. Feed daily 1.5 to 2.5 lbs per head to mature goats, depending on range conditions.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

DUCK AND GEESE FEEDS

Animal classes

1. Ducks
 - a. Starter - 0 to 3 weeks of age
 - b. Grower - 3 to 6 weeks of age
 - c. Finisher - 6 weeks to market
 - d. Breeder Developer - 8 to 19 weeks of age
 - e. Breeder - 22 weeks to end of lay

2. Geese
 - a. Starter - 0 to 4 weeks of age
 - b. Grower - 4 to 8 weeks of age
 - c. Finisher - 8 weeks to market
 - d. Breeder Developer - 10 to 22 weeks of age
 - e. Breeder - 22 weeks to end of lay

Guaranteed Analysis

Duck and Geese Complete Feeds and Supplements (All Animal Classes)

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber
4. Minimum and maximum percentage of Calcium
5. Minimum percentage of Phosphorus
6. Minimum and maximum percentage of Salt
7. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee

BLUE BIRD DUCK FEED

FOR BREEDER DUCKS (22 WEEKS TO END OF LAY)

Guaranteed Analysis

Crude Protein (Min)	17.0%
Crude Fat (Min)	3.0%
Crude Fiber (Max)	6.0%
Calcium (Min)	2.3%
Calcium (Max)	2.8%
Phosphorus (Min)	0.7%
Salt (Min)	0.2%
Salt (Max)	0.7%

Ingredient Statement

Grain Products, Plant Protein Products, Processed Grain By-Products, Animal Protein Products, Dehydrated Alfalfa Meal, Ground Limestone, Dicalcium Phosphate, Salt, DL-Methionine, L-Lysine, Vitamin A Supplement, D-Activated Animal Sterol (source of Vitamin D₃), Riboflavin, Niacin, Choline Chloride, Calcium Pantothenate, Vitamin B₁₂ Supplement, Biotin, Folic Acid, Pyridoxine Hydrochloride, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite (Source of Vitamin K Activity), Manganous Oxide, Ferrous Sulfate, Zinc Oxide, Copper Sulfate, Potassium Iodide and Sodium Selenite.

FEEDING DIRECTIONS:

Feed Blue Bird Duck Feed as a sole ration to laying ducks. Feed according to production and always provide a plentiful source of clean, fresh water.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

FISH FEEDS

Animal Species shall be declared in lieu of animal class

1. Trout
2. Catfish
3. Species other than trout or catfish

Guaranteed Analysis for Fish Complete Feeds and Supplements

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber
4. Minimum percentage of Phosphorus

BLUE BIRD SINKING TROUT PELLET

Guaranteed Analysis

Crude Protein (Min)	42%
Crude Fat (Min)	13%
Crude Fiber (Max)	4%
Phosphorus (Min)	0.60%

Ingredient Statement

Fish Meal, Soybean Meal, Feather Meal, Wheat Flour, Fish Oil, Lecithin, L-ascorbyl-2-polyphosphate, Choline Chloride, Biotin, Folic Acid, Niacin Supplement, d-Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin Supplement, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex (source of Vitamin K Activity), Manganese Sulfate, Copper Sulfate, Potassium Iodate, Sodium Selenite, Zinc Sulfate, Ethoxyquin (a preservative), Lignin Sulfonate.

FEEDING DIRECTIONS: Feed as a complete ration for trout.

Manufactured by
Blue Bird Feed Mill
Anytown, TX 77777

NET WT 50 LBS (22.6 kg)

RABBIT FEEDS

Animal classes

1. Grower - 4 to 12 weeks of age
2. Breeder - 12 weeks of age and over

Guaranteed Analysis for Rabbit Complete Feeds and Supplements (All Animal Classes)

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Minimum and maximum percentage of Crude Fiber
(NOTE: For rabbit feeds, the maximum crude fiber shall not exceed the minimum by more than 5.0 percentage units)
4. Minimum and maximum percentage of Calcium
5. Minimum percentage of Phosphorus
6. Minimum and maximum percentage of Salt
7. Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum Salt guarantee
8. Minimum Vitamin A, other than precursors of Vitamin A, in International Units per pound.

BLUE BIRD RABBIT FEED A RATION FOR GROWER RABBITS

Guaranteed Analysis

Crude Protein (Min)	16.0%
Crude Fat (Min)	2.0%
Crude Fiber (Min)	11.0%
Crude Fiber (Max)	16.0%
Calcium (Min)	1.15%
Calcium (Max)	1.40%
Phosphorus (Min)	0.85%
Salt (Min)	0.85%
Salt (Max)	1.15%
Vitamin A (Min)	2,000 IU/LB

Ingredient Statement

Grain Products, Forage Products, Plant Protein Products, 10% Roughage Products, Calcium Carbonate, Molasses Products, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Choline Chloride, Manganous Oxide, Zinc Oxide, Ferrous Carbonate, Niacin, d-Calcium Pantothenate, Copper Sulfate, Vitamin A Supplement, Riboflavin, Vitamin B₁₂ Supplement, D-Activated Animal Sterol, Vitamin E Supplement, Calcium Iodate, Cobalt Sulfate, Ethoxyquin (a preservative), Folic Acid, Artificial Flavor.

FEEDING DIRECTIONS:

Designed to be fed free choice to grower rabbits. Additional hay not needed. Animals should have access to clean water and salt at all times.

Manufactured by
Blue Bird Feed Mills
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

WILDLIFE WHOLE SEED AND WHOLE GRAIN

Guaranteed Analysis

- 1. Minimum percentage of Crude Protein
- 2. Minimum percentage of Crude Fat
- 3. Maximum percentage of Crude Fiber

Example 1: Whole grains and seeds under 20 ppb aflatoxin.

DEER CORN	
Guaranteed Analysis	
Crude Protein (min)	7.0%
Crude Fat (min)	3.0%
Crude Fiber (max)	3.0%
Guaranteed By: Blue Bird Feed Mill Anytown, TX 77777	
NET WT 50 LB (22.6 kg)	

Example 2: Whole grains and seeds labeled under 50 ppb aflatoxin.

DEER CORN	
This product contains less than 50 ppb aflatoxin. To be fed to wildlife.	
Guaranteed Analysis	
Crude Protein (min)	7.0%
Crude Fat (min)	3.0%
Crude Fiber (max)	3.0%
WARNING: May not be fed to lactating dairy cattle. Not for human use.	
Guaranteed By: Blue Bird Feed Mill Anytown, TX 77777	
NET WT 50 LB (22.6 kg)	

NOTE: Products under this section will require registration if aflatoxin levels are guaranteed above 20 ppb.

REQUIRED GUARANTEES FOR ANIMAL SPECIES AND CLASSES NOT SPECIFICALLY MENTIONED PREVIOUSLY

Animal Species and Class(es) for which the product is intended
Guaranteed Analysis

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber
4. Minimum and maximum percentage of Calcium
5. Minimum percentage of Phosphorus
6. Minimum and maximum percentage of Salt
7. Minimum and maximum percentage of total Sodium shall be guaranteed when total Sodium exceeds that furnished by the maximum Salt guarantee

BLUE BIRD RATITE STANDARD

A RATION FOR OSTRICH, RHEA, EMU & CASSOWARY

Guaranteed Analysis

Crude Protein (Min)	17.0%
Crude Fat (Min)	3.0%
Crude Fiber (Max)	15.0%
Calcium (Min)	0.8%
Calcium (Max)	1.0%
Phosphorus (Min)	0.8%
Salt (Min)	0.2%
Salt (Max)	0.5%

Ingredient Statement

Dehydrated Alfalfa Meal, Ground Corn, Soybean Meal, Whole Extruded Soybeans, Fish Meal, Pork & Bone Meal, Corn Gluten Meal, Corn Chops, Wheat Middlings, Dry Whey, Brewers Dried Yeast, Yeast Culture, Rice Bran, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus bulgaricus Fermentation Product, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Extract, Dried Milk Protein, Lecithin, Wheat Germ Oil, Soybean Oil, DL-Methionine, L-Lysine, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Choline Chloride, Riboflavin Supplement, Niacin, Calcium Pantothenate, Thiamine Mononitrate, Folic Acid, Pyridoxine Hydrochloride, Vitamin B₁₂ Supplement, Menadione Sodium Bisulfite Complex (source of Vitamin K Activity), Monosodium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Potassium Sulfate, Salt, Magnesium Oxide, Magnesium Sulfate.

FEEDING DIRECTIONS:

Feed Blue Bird Ratite Standard free choice to adult birds. Average Daily Consumption: Ostrich (1 lb. per 40 lbs. body weight); Rhea (1 lb. per 50 lbs. body weight); Emu (1 lb. per 45 lbs. body weight); Cassowary (1 lb. per 40 lbs. body weight)

NOTE: Provide plenty of fresh, clean water at all times. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

Manufactured by
Blue Bird Feed Mills
Anytown, TX 77777

NET WT 50 LB (22.6 kg)

**REQUIRED GUARANTEES FOR GRAIN MIXTURES
WITH OR WITHOUT MOLASSES**

All Animal Species and Class(es)

Guaranteed Analysis

1. Minimum percentage of Crude Protein
2. Minimum percentage of Crude Fat
3. Maximum percentage of Crude Fiber

BLUE BIRD SCRATCH FEED
A GRAIN MIXTURE FOR POULTRY

Guaranteed Analysis

Crude Protein (min)	9.0%
Crude Fat (min)	3.0%
Crude Fiber (max)	5.0%

Ingredient Statement

Corn, Wheat, Grain Sorghum

FEEDING DIRECTIONS:

Feed free choice as a source of grain to chickens. This feed is not a complete feed and additional supplementation is required.

Guaranteed By:
Blue Bird Feed Mill
Anytown, Texas 77777

NET WT 50 LB (22.6 kg)

**REQUIRED GUARANTEES FOR VITAMIN/MINERAL PREMIX,
BASE MIX, ETC.**

A commercial feed intended to provide a specialized nutritional source for use in the manufacture of other feeds, must state its intended purpose and guarantee those nutrients relevant to such stated purpose.

**CEDAR CREEK MILLING VITAMIN TRACE MINERAL PREMIX
FOR THE MANUFACTURE OF COMMERCIAL FEED**

Guaranteed Analysis

Calcium (Min)	3.0%
Calcium (Max)	4.0%
Manganese (Min)	0.41%
Zinc (Min)	9.20%
Iron (Min)	1.65%
Magnesium (Min)	2.30%
Potassium (Min)	6.35%
Copper (Min)	3,500 ppm
Cobalt (Min)	300 ppm
Iodine (Min)	1,900 ppm
Selenium (Min)	126 ppm
Vitamin A (min)	5,580,000 IU/LB
Vitamin D ₃ (min)	1,673,000 IU/LB
Vitamin E (min)	3,740 IU/LB

Ingredient Statement

Calcium Carbonate, Zinc Sulfate, Magnesium Sulfate, Potassium Chloride, Ferrous Sulfate, Vitamin A Supplement, D-Activated Animal Sterol (A Source of Vitamin D₃), Vitamin E Supplement, Copper Sulfate, Manganese Sulfate, Sodium Selenite, Ethylenediamine Dihydriodide and Cobalt Sulfate.

CAUTION: Levels of selenium greater than 0.3 ppm in finished feed are prohibited. Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted. Maximum use level of this product is 4.75 pounds per ton of finished feed.

DIRECTIONS: Use as required to supply adequate levels of vitamins and trace minerals to the finished feed.

Manufactured For
Cedar Creek Milling
Wheelock, Texas

Guaranteed By
Blue Bird Feed Mill
Anytown, Texas 77777

NET WT 50 LBS (22.6kg)

OTHER REQUIRED GUARANTEES THAT MAY APPEAR ON A LABEL

- 1. When a commercial feed contains any added non-protein nitrogen, it shall be guaranteed on the label.

For Ruminants

- a. Complete feeds, supplements and concentrates containing more than 5% protein from natural sources shall bear the following statement of guarantee:

**32% RANGE CUBES
FOR BEEF CATTLE ON PASTURE**

Guaranteed Analysis

Crude Protein (Min)	32.00%
(This includes not more than 7.36% equivalent crude protein from non-protein nitrogen)	
Crude Fat (Min)	2.00%
Crude Fiber (Max)	9.00%

- b. Mixed feed concentrates and supplements containing less than 5.0% protein from natural sources may be guaranteed as follows:

**SHEEP FEEDLOT SUPPLEMENT
FOR FINISHING SHEEP**

Guaranteed Analysis

Equivalent Crude Protein from Non-Protein Nitrogen (Min)	12.00%
---	--------

- c. Ingredient sources of non-protein nitrogen shall bear the following statement of guarantee:

FEED GRADE UREA	
Guaranteed Analysis	
Nitrogen (Min)	46.00%
Equivalent Crude Protein from Non-Protein Nitrogen (Min)	287.00%
Ingredient Statement	
Urea	
DIRECTIONS FOR USE: To be used in the manufacture of ruminant feeds only.	
Use only for mixing feeds for ruminant animals (cattle, sheep or goats). Mix thoroughly. Total protein equivalent from this source should not exceed one-third (1/3) protein in mix without attaching warning and directions for use tag.	
WARNING: USE ONLY AS DIRECTED.	

For Non-Ruminants

- a. Complete feeds, supplements and concentrates containing crude protein from all forms of non-protein nitrogen, added as such, shall be labeled according to the label on this page.
- b. Premixes, concentrates or supplements intended for non-ruminants containing more than 1.2% equivalent crude protein from all forms of non-protein nitrogen, added as such, must contain adequate directions for use and a prominent statement:

“WARNING: THIS FEED MUST BE USED ONLY IN ACCORDANCE WITH DIRECTIONS FURNISHED ON THE LABEL.”

BLUE BIRD SWINE FINISHER

Guaranteed Analysis

Crude Protein (Min) 16.00%
(This includes not more than 2% equivalent crude protein which is not nutritionally available to swine.)

WARNING: THIS FEED MUST BE USED ONLY IN ACCORDANCE WITH DIRECTIONS FURNISHED ON THE LABEL.

Directions for use: Feed 3 to 7 pounds per day.

- 2. Minerals shall be guaranteed in the order and units specified in the Rules.
- 3. Vitamins must be guaranteed as specified in the Rules.
- 4. Total Sugars as invert shall be guaranteed on products being sold for the molasses content or products containing more than 16% sugars.

BLUE BIRD CANE MOLASSES

Guaranteed Analysis

Total Sugars (as invert) (Min) 46.00%
Brix (Min) 79.5
Moisture (Max) 27.00%

NET WEIGHT SHOWN ON INVOICE

5. Liquid Feed Supplements and liquid ingredients containing more than 20% moisture shall include maximum percent moisture guarantee:

BLUE BIRD LIQUID SUPPLEMENT	
A SUPPLEMENT FOR BEEF CATTLE ON PASTURE	
Guaranteed Analysis	
Crude Protein (Min)	20%
Crude Fat (Min)	0.10%
Crude Fiber (Max)	0.10%
Phosphorus (Min)	0.75%
Moisture (Max)	32%

6. Microorganisms need not be guaranteed when the commercial feed is intended for a purpose other than to furnish these substances and no other specific label claims are made. When guaranteed, the units shall be colony forming units (CFU) per pound when directions for use are in pounds. A parenthetical statement following the guarantee shall list each species in order of predominance.
7. **Distribution of Mycotoxin-Containing Whole Grains/Seeds and Oilseed Meals/Processed Grains in Commercial Channels.** Whole Grain/Seed containing above 20 ppb aflatoxin and/or above 5 ppm fumonisin are commercial feeds. Products under this section are adulterated and require registration.
- a. A facility may introduce aflatoxin-containing ingredients into commercial channels if the level of aflatoxin does not exceed:
 - i. 50 ppb when designated for wildlife (see example on page 25)
 - ii. 100 ppb when designated for breeding cattle and goats whose milk is not processed for human use, breeding swine, mature poultry, sheep or goats
 - iii. 200 ppb when designated for finishing swine
 - iv. 300ppb when designated for finishing cattle

Label must include:

Warning: May not be fed to lactating dairy animals,
Not for human use

- b. A facility may introduce fumonisin-containing ingredients into commercial channels if the level of fumonisin does not exceed:
- i. 5.0 ppm when designated for horses or rabbits
 - ii. 10 ppm when designated for all species or classes of livestock or pet animals not specifically mentioned below
 - iii. 20 ppm when designated for swine and catfish
 - iv. 30 ppm when designated breeding ruminants, breeding poultry, lactating dairy cattle and laying hens
 - v. 60 ppm when designated for cattle being fed for slaughter
 - vi. 100 ppm when designated for poultry being fed for slaughter

Labels must include:

Warning: May not be fed to horses or rabbits, Not for human use.

For information concerning blending of aflatoxin-containing corn or Fumonisin-containing corn and the ammoniation of aflatoxin-containing corn, contact our Office.

Example Label For Fumonisin Containing Corn

Feed Corn

This product contains between 5 and 60 ppm fumonisin.

To be fed **only** to cattle being fed for slaughter and poultry being fed for slaughter.

Warning: Do not feed to horses or rabbits. Not for human use.

Blue Bird Cooperative
Anytown, TX 77777

Net wt on invoice

B. EXEMPTIONS

1. Guarantees for vitamins are not required for commercial feed which is neither formulated nor in any manner represented as a vitamin supplement.
2. Guarantees for crude protein, crude fat, and crude fiber are not required for commercial feed not intended to furnish these substances, or for feeds in which these substances are of minor significance to the primary purpose of the product (e.g., drug premixes, mineral or vitamin supplements, or molasses).
3. A mineral guarantee for feed, excluding those feeds manufactured as complete feeds and for feed supplements intended to be mixed with grain to produce a complete feed for swine, poultry, fish, and veal and herd milk replacers, is not required when:
 - a. The feed or feed ingredient is not intended, or represented, or does not serve as a principle source of that mineral to the animal, or
 - b. The feed or feed ingredient is intended for non-food producing animals and contains less than 6.5% total mineral.

II. SUITABILITY

- A. The nutritional content of commercial feed shall be as purported or is represented to possess by its labeling. Such animal feed, its labeling and intended use must be suitable for the intended purpose of the product.

- B. Commercial feeds for swine, poultry, fish, veal and herd replacement calves, when fed according to directions, must meet the nutritional requirements established by:
 - 1. The committee on Animal Nutrition of the National Research Council of the National Academy of Sciences, or
 - 2. A signed affidavit attesting to the nutritional adequacy of the feed based upon valid scientific evidence.
 - a. A commercial feed, other than a customer-formula feed, shall be nutritionally suitable for its intended purpose as represented by its labeling.
 - b. If the Service has reasonable cause to believe a commercial feed is not nutritionally suitable, the Service may request the feed manufacturer to either submit an "Affidavit of Suitability" or an alternative procedure acceptable to the Service, certifying the nutritional adequacy of the feed. The Affidavit of Suitability or alternate procedure of suitability shall serve as substantiation of the suitability of the feed.
 - c. If an Affidavit of Suitability, or an alternative procedure acceptable to the Service is not submitted by the feed manufacturer within 30 days of written notification the Service may deem the feed adulterated under section 7(c) of the Model Bill and order the feed removed from the marketplace.
 - d. The Affidavit of Suitability shall contain the following information:
 - (1) The feed company's name;
 - (2) The feed's product name;

- (3) The name and title of the affiant submitting the document;
- (4) A statement that the affiant has knowledge of the nutritional content of the feed and based on valid scientific evidence the feed is nutritionally adequate for its intended purpose;
- (5) The date of submission; and
- (6) The signature of the affiant notarized by a certified Notary Public

AFFIDAVIT
Affidavit of Suitability

(Company Name)

(Product Name & Code Number)

1. Affiant is the _____ of _____
(Title) (Name of Company)
and is duly authorized to make and execute this Affidavit for and on behalf of said company.
2. Affiant has knowledge of the nutritional content of the above listed feed product and is familiar with the nutritional requirements for the animal species and animal class(es) for which the feed product is intended .
3. Affiant has knowledge of valid scientific evidence that supports the suitability of the product for the intended animal species and animal class for which this feed is intended. A copy of the product label is attached to this affidavit.

(Name of Company)

By _____
(Name)

(Title)

Subscribed and sworn to before me

this _____ day of _____
_____, 20____

(Notary Public)

III. CUSTOMER FORMULA FEED LABELING REQUIREMENTS

A person distributing customer formula feed in the State of Texas shall furnish to the purchaser at the time of delivery, a label showing:

1. The name and address of the mixer, miller, or processor
2. The name and address of the purchaser
3. The date of sale
4. The name or brand and the number of pounds of each registered commercial feed used in the mixture
5. The name and number of pounds of each other ingredient added to the mixture, including any ingredients supplied by the purchaser
6. If the customer formula contains a drug the label shall include:
 - a. The purpose of the medication (indications for use)
 - b. The directions for use and precautionary statements as required by the Rules.
 - c. The common, usual or established name of each active drug ingredient and the amount of each drug ingredient, and the amount of each drug used in the final mixture expressed in accordance with the Rules

IV. PET FOOD LABELING

The Pet Food labeling requirements are stated in Chapter 63, Pet Food Rules of the Texas Administrative Code (see Pet Food Rules booklet). The Pet Food Rules are applied in conjunction with the Commercial Feed Rules. Issues not addressed under the Pet Food Rules are subject to the Commercial Feed Rules.

NOTES

